



Wrapping Instructions

Wrapping and Ringsling instructions for safe carrying practices. If you need help finding a babywearing educator or local babywearing chapter, Alight Handwovens would be happy to help!

Only use this carrier with children weighing between 8 pounds and 35 pounds.

Wrapping instructions for Front Wrap Cross Carry Tied Under Bum

Find the Middle Marker
on the wrap.



Wrap the empty carrier around your body keeping the middle marker in the middle in the center of your chest



Cross the sides of the wrap behind you to make an x on your back with them and put the ends back over your shoulders



The Empty Carrier should look like this. Pull the top and bottom rails tighter so the middle marker stays in the middle of your chest and there is not much slack



Always holding your baby securely, place them over your shoulder as if you would burp them and with one hand carefully get their feet into the pocket on your chest and out the bottom of it putting their leg structure into a sitting position hugged against you



Slowly and gently settle them into the carrier making a knee to knee seat with the fabric pulling up between baby and you a bit if needed while always holding onto them securely.



Once a secure seat has been made, tighten the ends of the wrap that are over your shoulder strand by strand, alternating one hand holding the baby securely while tightening with the other hand. The end that has been tightened can be secured with the hand holding the baby



With both sides tightened and the proper seat secured under the baby, take the ends of the wrap and make a double knot under the baby's bum, keeping sure it stays securely there through carrying.



Always check the baby's head and body position and breathing during wearing and follow all the instructional literature and be aware of the correct and incorrect positions. Happy Wearing!

Additional Instructions and Precautions:

- Read and follow all printed instructions and view instructional videos if needed before use
- Checked for ripped seams, torn straps or fabric, and damage before each use.
- Always check to ensure that all knots buckles, snaps, straps and adjustments are secure
- Ensure that the baby is safely positioned in the sling carrier according to instructions
- Never leave a baby in a sling carrier that is not being worn
- Check on the baby often. Ensure that the baby is periodically repositioned
- Never use a sling carrier when balance or mobility is impaired because of exercise, drowsiness, or medical conditions
- Never place more than one baby in the sling carrier. Never Use/Wear more than one carrier at a time
- Never use sling carrier while engaging in activities such as cooking and cleaning which involve a heat source or exposure to chemicals.
- Never wear sling carrier while driving or being a passenger in a motor vehicle.

WARNING

Failure to follow the manufacturer's instructions can result in death or serious injury. Only use this carrier with children weighing between 8 and 35 pounds.

SUFFOCATION HAZARD

Babies Younger than 4 months can suffocate in this product if face is pressed tightly against your body. Babies at greatest risk of suffocation include those born prematurely and those with respiratory problems.

Check often to make sure baby's face is uncovered, clearly visible, and away from caregiver's body at all times


Make sure baby does not curl into a position with the chin resting on or near baby's chest. this position can interfere with breathing, even when nothing is covering the nose or mouth.

If you nurse your baby in carrier, always reposition after feeding so baby's face is not pressed against your body

Never Use this carrier with babies smaller than 8 pounds without seeking the advice of a healthcare professional.

FALL HAZARD

Leaning, bending over, or tripping can cause baby to fall. keep one hand on baby while moving



Correct

Carrier should hold baby in the same position as you would hold in your arms

Correct

Baby is high on wearer's chest, chin up, face visible, nose and mouth free

Correct

Baby is high on wearer's chest, chin up, face visible, nose and mouth free

Incorrect

Baby is too low, face is pressed into wearer's body with nose and mouth obstructed

Incorrect

Baby is too low, face is pressed into wearer's body with nose and mouth obstructed